

PCPT Baseline Characteristics

Characteristic	PCPT (N=18,880)	
	N	%
Medicare linked ¹	14,593	77.3%
Age at enrollment (median [IQR], years)	63 (59-67)	
55-59 ²	5911	31.3%
60-64	5794	30.7%
65-69	4332	22.9%
70+	2843	15.1%
Age at date last known to be alive ³ (median [IQR], years)	84 (81-87)	
<=70	71	0.4%
71-75	86	0.5%
76-80	1,215	6.4%
>=80	6,543	34.6%
Deceased	10,965	58.1%
Total follow-up time ⁴ (median [IQR], years)	22.2 (15.2-24.6)	
<5	736	3.9%
5.1-10	1570	8.3%
10.1-15.0	2306	12.2%
>15	14,268	75.6%
Race/Ethnicity		
Non-Hispanic White	17,406	92.2%
Non-Hispanic Black	712	3.8%
Hispanic	497	2.6%
Other	265	1.4%
History of prostate cancer in 1st degree relative		
Yes	2913	15.4%
PSA at entry (median [IQR], ng/ml)	1.1 (0.7-1.7)	
0-1.0	9120	48.3%
1.1-2.0	6714	35.6%
2.1-3.0	3043	16.1%
3.1-4.0	1	0.0%
Education (highest level)		
0-12 years	3569	18.9%
13-15 years	5509	29.2%
16+ years	9790	51.9%
Cigarette smoking		
Never	6229	33.0%
Former	11,158	59.1%
Current	1488	7.9%

Body mass index (kg/m ²)	27.1 (25.0-29.8)	
<25	4817	25.5%
25 to <30	9499	50.3%
30+	4378	23.2%

¹ Linked to Medicare on common social security number, sex, date-of-birth, and 12+ months¹ continuous Medicare coverage

² 3 men were age <55

³ Based on PCPT, NDI, and Medicare data

⁴ Follow-up time based on PCPT, NDI, and Medicare data, and includes time for both those who died and those still alive.